


What is claimed is:

1. A compound according to Formula (I)



5

or a pharmaceutically acceptable salt or solvate thereof  
wherein

V is  $-N(R^1)(R^2)$  or  $OR^4$ ;

$R^4$  is H,  $C_{1-6}$ alkyl,  $C_{1-4}$ haloalkyl or  $(C_{1-4}$ alkylene) $_{0-1}R^4$

10

$R^4$  is  $C_{3-7}$ cycloalkyl, phenyl, adamantyl, quinuclidyl,

azabicyclo[2.2.1]heptyl, azetidiny, tetrahydrofuranyl, furanyl,

dioxolanyl, thienyl, tetrahydrothienyl, pyrrolyl, pyrrolinyl,

pyrrolidinyl, imidazolyl, imidazolinyl, imidazolidinyl,

pyrazolyl, pyrazolinyl, pyrazolidinyl, oxazolyl, isoxazolyl,

15

thiazolyl, isothiazolyl, oxadiazolyl, thiadiazolyl, triazolyl,

pyranyl, pyridyl, pyrimidinyl, pyrazinyl, pyridazinyl,

triazinyl, piperidinyl, piperazinyl, morpholino, thiomorpholino

or dioxolanyl; and

$R^4$  is optionally substituted with 1 or 2 of the same or different

20

substituents selected from the group consisting of halo,

cyano,  $C_{1-4}$ alkyl,  $C_{1-4}$ haloalkyl,  $C_{1-4}$ alkoxy, hydroxy,

amino,  $C_{3-7}$ cycloalkyl,  $C_{1-3}$ alkylamino,  $C_{1-}$

$_3$ dialkylamino,  $(C_{1-3}$ alkyl) $_{0-2}$ ureido, phenyl and benzyl;

and

25

$R^4$  optionally contains 1 or 2 carbonyls wherein the carbon

atom of said carbonyl is a member of the ring structure

of  $R^4$ ;

$R^1$  and  $R^2$  are each independently  $L^1$ , wherein  $L^1$  is selected from the

group consisting of H,  $C_{1-6}$ alkyl,  $C_{2-6}$ alkenyl,  $C_{2-6}$ alkynyl,  $-C_{1-}$

30

$_6$ alkylene-amino( $C_{1-3}$ alkyl) $_2$ ,  $C_{3-7}$ cycloalkyl, phenyl, azetidiny,

adamantyl, tetrahydrofuranyl, furanyl, dioxolanyl, thienyl,  
 tetrahydrothienyl, pyrrolyl, pyrrolinyl, pyrrolidinyl,  
 imidazolyl, imidazoliny, imidazolidinyl, pyrazolyl,  
 pyrazolinyl, pyrazolidinyl, oxazolyl, isoxazolyl, thiazolyl,  
 isothiazolyl, oxadiazolyl, thiadiazolyl, triazolyl, pyranyl,  
 pyridyl, pyrimidinyl, pyrazinyl, pyridazinyl, triazinyl,  
 piperidinyl, piperazinyl, morpholino, thiomorpholino and  
 dioxolanyl; and

$R^1$  and  $R^2$  are each optionally and independently substituted

with 1 or 2 of the same or different substituents  
 selected from the group consisting of halo, cyano,  $C_{1-4}$ alkyl,  
 $C_{1-4}$ haloalkyl,  $C_{1-4}$ alkoxy, hydroxy, amino,  $C_{3-7}$ cycloalkyl,  
 $C_{1-3}$ alkylamino,  $C_{1-3}$ dialkylamino, ( $C_{1-3}$ alkyl)<sub>0-2</sub>ureido,  
 phenyl and benzyl;

$R^1$  and  $R^2$  optionally and independently contain 1 or 2  
 carbonyls wherein the carbon atom of said carbonyl is a  
 member of the heterocycles comprising  $R^1$  and  $R^2$ ;

wherein  $L^1$  is optionally and independently interrupted from  
 the nitrogen to which it is attached by  $L^2$ , wherein  $L^2$  is  
 independently  $C_{1-3}$ alkylene or  $C_{1-3}$ alkylidene; or

$R^1$  and  $R^2$  together with the nitrogen to which they are attached form  
 X,

wherein X is azetidiny, pyrrolyl, pyrrolinyl, pyrrolidinyl,  
 imidazoliny, imidazolidinyl, pyrazolinyl,  
 pyrazolidinyl, azepiny, diazepiny, piperazinyl,  
 piperidinyl, morpholino or thiomorpholino;

wherein X is optionally substituted with Y, wherein Y  
 is dioxolanyl,  $C_{1-9}$ alkyl,  $C_{2-9}$ alkenyl,  $C_{2-9}$ alkynyl,  
 $C_{1-4}$ alkylamino,  $C_{1-4}$ dialkylamino,  $C_{1-4}$ alkoxy,  
 $C_{3-7}$ cycloalkyl, phenyl, azetidiny, furanyl, thienyl,  
 pyrrolyl, pyrrolinyl, pyrrolidinyl, pyrrolidinonyl,  
 imidazolyl, imidazoliny, imidazolidinyl, imidazolidinonyl,

pyrazolyl, pyrazolinyl, pyrazolidinyl, azepinyl,  
 diazepinyl, pyridyl, pyrimidinyl,  
 dihydrobenzimidazolonyl, piperazinyl,  
 piperidinyl, morpholino, benzothiazolyl,  
 5      benzothiazolyl or thiomorpholino;  
 and wherein X and Y are  
         optionally interrupted with Z, wherein Z  
             is -NHC(O)O-, -NHC(O)NH-,  
             NC(O)NH<sub>2</sub>, -NH-, -C<sub>1-3</sub>alkylene-  
 10      , -C<sub>1-3</sub>alkylene-, -C<sub>1-3</sub>alkenylene-  
             NHC(O)O-C<sub>1-3</sub>alkylene-; and  
         optionally and independently substituted  
         with 1 or 2 of the same or  
         different substituents selected  
 15      from the group consisting of C<sub>1-4</sub>  
         alkyl, amino, C<sub>1-3</sub>alkylamino,  
         -C<sub>1-6</sub>alkylene-amino(C<sub>1-3</sub>alkyl)<sub>2</sub>,  
         (C<sub>1-3</sub>alkyl)<sub>0-2</sub>ureido, phenyl and  
         benzyl;  
 20      X and Y optionally and independently  
         contain 1 or 2 carbonyls wherein  
         the carbon atom of said carbonyl  
         is a member of the heterocycles  
         comprising X and Y;  
 25      provided that if X is substituted with Y, and if  
         X and Y are not interrupted with Z, then  
         X and Y optionally share one carbon  
         atom and together form a  
         spirocyclic moiety;  
 30      Q is Q' or Q";  
         wherein  
             Q' is (S<sup>y</sup>)<sub>s</sub>R<sup>3</sup>; and

Q" is  $\text{NH}(\text{S}^y)_s\text{R}^3$ ,  $\text{NHC}(\text{O})(\text{S}^y)_s\text{R}^3$ ,  $\text{NHC}(\text{O})\text{O}(\text{S}^y)_s\text{R}^3$ ,  
 $\text{NHC}(\text{O})\text{NH}(\text{S}^y)_s\text{R}^3$ ,  $\text{O}(\text{S}^y)_s\text{R}^3$ ,  $(\text{S}^y)_s\text{NHR}^3$ ,  
 $(\text{S}^y)_s\text{NHC}(\text{O})\text{R}^3$ ,  $(\text{S}^y)_s\text{NHC}(\text{O})\text{OR}^3$ ,  $(\text{S}^y)_s\text{NHC}(\text{O})\text{NHR}^3$   
or  $(\text{S}^y)_s\text{OR}^3$ ;

wherein S<sup>y</sup> is C<sub>1-3</sub>alkylene or C<sub>1-3</sub>alkylidene and s is 0 or 1;

U is CH<sub>2</sub> or NH;

provided that if Q is Q", then U is CH<sub>2</sub>;

$$R^3 \text{ is } R^{3a} \text{ or } R^{3b}$$

wherein

$R^{3a}$  is

(i) a heterocycle having two fused rings with 5 to 7 members in each of said rings, said heterocycle containing one to five of the same or different heteroatoms selected from the group consisting of O, N and S and said heterocycle optionally containing 1 or 2 carbonyls wherein the carbon atom of said carbonyl is a member of said fused rings;

(ii) a 4 to 6 membered heterocycle containing one to three of the same or different heteroatoms selected from the group consisting of O, N and S, optionally containing 1 to 2 carbonyls, wherein the carbon atom of said carbonyl is a member of said 4 to 6 membered heterocycle;

(iii) C<sub>3-7</sub>cycloalkyl;

(iv) carbazolyl, fluorenyl, phenyl, -O-phenyl, -O-C<sub>1-4</sub>alkylene-phenyl, or naphthyl; or

(v) C<sub>1-8</sub>alkyl, C<sub>2-7</sub>alkenyl, -C(O)R<sup>3'</sup>, CHC(O)O-R<sup>3'</sup>, CH(CH<sub>3</sub>)C(O)O-R<sup>3'</sup>, -C(O)O-R<sup>3'</sup> or C<sub>2-7</sub>alkynyl; and

wherein R<sup>3a</sup> is optionally substituted with 1 to 3 of the same or different substituents selected from the group consisting of benzyl, phenyl, -O-phenyl, -O-C<sub>1</sub>-

3alkylenephenyl, -C<sub>1-3</sub>alkylene-OC(O)-phenyl, cyano,  
 amino, nitro, halo, C<sub>1-6</sub>alkyl, C<sub>1-3</sub>mono-bi-tri-haloalkyl,  
 C<sub>1-3</sub>mono-bi-tri-haloalkyloxy, (C<sub>1-3</sub>alkyl)<sub>1-2</sub>amine,  
 -OR<sup>3'</sup>, -C(O)R<sup>3'</sup>, -C(O)O-R<sup>3'</sup>, -O-C(O)R<sup>3'</sup>, -N(R<sup>3'</sup>)<sub>2</sub>,  
 5 -C(O)N(R<sup>3'</sup>)<sub>2</sub>, -N(R<sup>3'</sup>)C(O)(R<sup>3'</sup>)<sub>2</sub>, -N(R<sup>3'</sup>)C(O)N(R<sup>3'</sup>)<sub>2</sub>,  
 -N(R<sup>3'</sup>)C(O)OR<sup>3'</sup>, -O-C(O)N(R<sup>3'</sup>)<sub>2</sub>, -N(R<sup>3'</sup>)SO<sub>2</sub>R<sup>3'</sup>,  
 -SO<sub>2</sub>N(R<sup>3'</sup>)<sub>2</sub> and -SO<sub>2</sub>R<sup>3'</sup>;  
 R<sup>3'</sup> is H or -C<sub>1-6</sub>alkyl;  
 provided that if R<sup>3a</sup> is , -C(O)R<sup>3'</sup>, CHC(O)O-R<sup>3'</sup>,  
 10 CH(CH<sub>3</sub>)C(O)O-R<sup>3'</sup> or -C(O)O-R<sup>3'</sup>, then said  
 -C(O)R<sup>3'</sup>, CHC(O)O-R<sup>3'</sup>, CH(CH<sub>3</sub>)C(O)O-R<sup>3'</sup> or  
 -C(O)O-R<sup>3'</sup> are unsubstituted;  
 R<sup>3b</sup> is R<sup>3a</sup> but is not phenyl, 1-naphthyl, 2-naphthyl, 1,2,3,4-  
 tetrahydro-1-naphthyl, 1H-indol-3-yl, 1-methyl-1H-  
 15 indol-3-yl, 1-formyl-1H-indol-3-yl, 1-(1,1-  
 dimethylethoxycarbonyl)-1H-indol-3-yl, 4-imidazolyl,  
 1-methyl-4-imidazolyl, 2-thienyl, 3-thienyl, thiazolyl,  
 1H-indazol-3-yl, 1-methyl-1H-indazol-3-yl,  
 benzo[b]fur-3-yl, benzo[b]thien-3-yl, pyridinyl,  
 20 quinolinyl or isoquinolinyl; optionally substituted in  
 the carbon skeleton with mono-, di- or trisubstituted by  
 fluorine, chlorine or bromine atoms or by branched or  
 unbranched alkyl groups, C<sub>3-8</sub>-cycloalkyl groups,  
 phenylalkyl groups, alkenyl, alkoxy, phenyl,  
 25 phenylalkoxy, trifluoromethyl, alkoxycarbonylalkyl,  
 carboxyalkyl, alkoxycarbonyl, carboxy,  
 dialkylaminoalkyl, dialkylaminoalkoxy, hydroxy, nitro,  
 amino, acetylamino, propionylamino, benzoyl,  
 benzoylamino, benzoylmethylamino,  
 30 methylsulphonyloxy, aminocarbonyl,  
 alkylaminocarbonyl, dialkylaminocarbonyl, alkanoyl,  
 cyano, tetrazolyl, phenyl, pyridinyl, thiazolyl, furyl,  
 trifluoromethoxy, trifluoromethylthio,

trifluoromethylsulphinyl- or trifluoromethylsulphonyl groups;

wherein said substituents may be the same or different  
and the above-mentioned benzoyl,

benzoylamino- and benzoylmethylamino groups may in turn additionally be substituted in the phenyl moiety by a fluorine, chlorine or bromine atom, or by an alkyl, trifluoromethyl, amino or acetyl amino group;

10 D is O, NCN or NSO<sub>2</sub>C<sub>1-3</sub>alkyl;

A is C, N or CH;

$m$  and  $n$  are independently 0, 1 or 2;

provided that

if  $m$  and  $n$  are 0, then  $A$  is not  $N$ :

15 if m is 2, then n is not 2; or

if  $n$  is 2, then  $m$  is not 2:

E is N, CH or C:

$p$  is 0 or 1;

if p is 1, then G, J and E together form  $A^x$  or  $A^y$ ;

20 A<sup>x</sup> is a fused heterocycle having two fused rings with 5 to 7 members in each of said rings, said heterocycle containing one to four of the same or different heteroatoms selected from the group consisting of O, N and S; and

25 optionally containing 1 or 2 carbonyls wherein the carbon atom of said carbonyl is a member of said fused heterocycle;

30 A<sup>y</sup> is a 4 to 6 membered heterocycle containing one to three  
heteroatoms selected from the group consisting of O, N  
and S; and

optionally containing 1 to 2 carbonyls, wherein the carbon atom of said carbonyl is a member of said 4 to 6 membered heterocycle;

wherein A<sup>x</sup> and A<sup>y</sup> are optionally substituted with C<sub>1-4</sub>alkyl, C<sub>1-4</sub>alkoxy, C<sub>1-4</sub>haloalkyl, cyano, C<sub>3-7</sub>cycloalkyl, phenyl, halophenyl, halo, furanyl, pyrrolyl, pyrrolinyl, pyrrolidinyl, imidazolyl, imidazolinyl, imidazolidinyl, pyrazolyl, pyrazolinyl, pyrazolidinyl, pyridyl, pyrimidinyl, piperidinyl, piperazinyl or morpholino; or

if p is 0 such that G and J are each attached to A, then A is C, and G, J and A together form a spirocyclic ring system with said rings of said system containing A and wherein G, J and A together are GJA' or GJA";

wherein

GJA' is A<sup>x</sup> or A<sup>y</sup>; and

GJA" is A<sup>x</sup> or A<sup>y</sup>;

provided that

A<sup>x</sup> is not a 1,3-diaza-fused heterocycle;

and

A<sup>y</sup> is not a 1,3-diaza-heterocycle;

and further provided that

if Q is Q", then R<sup>3</sup> is R<sup>3a</sup>; and

if Q is Q', then

R<sup>3</sup> is R<sup>3b</sup>; or

R<sup>3</sup> is R<sup>3a</sup>, p is 0 and G, J and A together form GJA".

2. A compound according to claim 1, wherein Q is Q' and R<sup>3</sup> is R<sup>3b</sup>.

3. A compound according to claim 1, wherein Q is Q', R<sup>3</sup> is R<sup>3a</sup> and p is 0 such that G, J and A together form GJA".

4. A compound according to claims 2 or 3, wherein Q is Q' and U is CH<sub>2</sub>.

5. A compound according to claims 2 or 3, wherein Q is Q' and U is NH.

6. A compound according to claim 1, wherein Q is Q".
7. A compound according to claim 6, wherein Q" is  $\text{NH}(\text{S}^y)_s\text{R}^3$ .
- 5 8. A compound according to claim 6, wherein Q" is  $\text{NHC}(\text{O})(\text{S}^y)_s\text{R}^3$ .
9. A compound according to claim 6, wherein Q" is  $\text{NHC}(\text{O})\text{O}(\text{S}^y)_s\text{R}^3$ .
- 10 10. A compound according to claim 6, wherein Q" is  $\text{NHC}(\text{O})\text{NH}(\text{S}^y)_s\text{R}^3$ .
11. A compound according to claim 6, wherein Q" is  $\text{O}(\text{S}^y)_s\text{R}^3$ .
12. A compound according to claim 6, wherein Q" is  $(\text{S}^y)_s\text{NHR}^3$ .
- 15 13. A compound according to claim 6, wherein Q" is  $(\text{S}^y)_s\text{NHC}(\text{O})\text{R}^3$ .
14. A compound according to claim 6, wherein Q" is  $(\text{S}^y)_s\text{NHC}(\text{O})\text{OR}^3$ .
15. A compound according to claim 6, wherein Q" is  $(\text{S}^y)_s\text{NHC}(\text{O})\text{NHR}^3$ .
- 20 16. A compound according to claim 6, wherein Q" is  $(\text{S}^y)_s\text{OR}^3$ .
17. A compound according to claim 1, wherein V is  $\text{OR}^4$ .
- 25 18. A compound according to claim 1, wherein V is  $-\text{N}(\text{R}^1)(\text{R}^2)$ .
19. A compound according to claim 1, wherein  $\text{R}^4$  is H,  $\text{C}_{1-6}$ alkyl or  $(\text{C}_{1-4}\text{alkylene})_{0-1}\text{R}^{4'}$  and  $\text{R}^{4'}$  is  $\text{C}_{3-7}$ cycloalkyl.
- 30 20. A compound according to claim 1, wherein V is  $-\text{N}(\text{R}^1)(\text{R}^2)$  and  
 $\text{R}^1$  and  $\text{R}^2$  are each independently  $\text{L}^1$ , wherein  $\text{L}^1$  is selected from the  
group consisting of H,  $\text{C}_{1-6}$ alkyl,  $-\text{C}_{1-6}\text{alkylene-amino}(\text{C}_{1-3}\text{alkyl})_2$ ,  $\text{C}_{3-7}$ cycloalkyl, phenyl, azetidiny, adamantyl,



5 tetrahydrofuranyl, furanyl, dioxolanyl, thienyl,  
 tetrahydrothienyl, pyrrolyl, pyrrolinyl, pyrrolidinyl,  
 imidazolyl, imidazolynyl, imidazolidinyl, pyrazolyl,  
 pyrazolinyl, pyrazolidinyl, oxazolyl, isoxazolyl, thiazolyl,  
 isothiazolyl, oxadiazolyl, thiadiazolyl, triazolyl, pyranyl,  
 pyridyl, pyrimidinyl, pyrazinyl, pyridazinyl, triazinyl,  
 piperidinyl, piperazinyl, morpholino, thiomorpholino and  
 dioxolanyl; or

10  $R^1$  and  $R^2$  together with the nitrogen to which they are attached form  
 X,

wherein X is azetidynyl, pyrrolinyl, pyrrolidinyl, imidazolynyl,  
 imidazolidinyl, pyrazolinyl, pyrazolidinyl, azepinyl,  
 diazepinyl, piperazinyl, piperidinyl, morpholino or  
 thiomorpholino;

15 wherein X is substituted with Y, wherein Y is  
 dioxolanyl,  $C_{1-4}$ alkyl,  $C_{1-4}$ alkoxy,  $C_{3-7}$ cycloalkyl, phenyl, azetidynyl, pyrrolyl,  
 pyrrolinyl, pyrrolidinyl, pyrrolidinonyl,  
 imidazolyl, imidazolynyl, imidazolidinyl,  
 20 imidazolidinonyl, pyrazolyl, pyrazolinyl,  
 pyrazolidinyl, azepinyl, diazepinyl, pyridyl,  
 pyrimidinyl, dihydrobenzimidazolonyl,  
 piperazinyl, piperidinyl, morpholino,  
 benzothiazolyl, benzisothiazolyl or  
 25 thiomorpholino;  
 and wherein X and Y optionally share one  
 carbon atom and together form a  
 spirocyclic moiety.

30 21. A compound according to claim 1, wherein wherein V is  $-N(R^1)(R^2)$  and  
 $R^1$  and  $R^2$  are each independently  $L^1$ , wherein  $L^1$  is selected from the  
 group consisting of H,  $C_{1-6}$ alkyl, or

$R^1$  and  $R^2$  together with the nitrogen to which they are attached form X,

wherein X is piperidinyl or morpholino;

wherein X is substituted with Y, wherein Y is

dioxolanyl,  $C_{1-4}$ alkyl or piperidinyl;

and wherein X and Y optionally share one carbon atom and together form a spirocyclic moiety.

22. A compound according to claim 1, wherein V is  $-N(R^1)(R^2)$  and wherein  $R^1$  and  $R^2$  are each independently  $L^1$ , wherein  $L^1$  is selected from the group consisting of H,  $C_{1-6}$ alkyl.

23. A compound according to claim 1, wherein V is  $-N(R^1)(R^2)$  and wherein  $R^1$  and  $R^2$  together with the nitrogen to which they are attached form X,

wherein X is piperidinyl or morpholino;

wherein X is substituted with Y, wherein Y is

dioxolanyl,  $C_{1-4}$ alkyl or piperidinyl;

and wherein X and Y optionally share one carbon atom and together form a spirocyclic moiety.

24. A compound according to claim 1, wherein V is  $-N(R^1)(R^2)$  and wherein  $R^1$  and  $R^2$  together with the nitrogen to which they are attached form X,

wherein X is piperidinyl;

wherein X is substituted with Y, wherein Y is piperidinyl.

25. A compound according to claim 1, wherein V is  $-N(R^1)(R^2)$  and wherein  $R^1$  and  $R^2$  together with the nitrogen to which they are attached form X,

wherein X is morpholino;

wherein X is substituted with Y, wherein Y is  $C_{1-4}$ alkyl.

26. A compound according to claim 1, wherein V is -N(R<sup>1</sup>)(R<sup>2</sup>) and wherein  
R<sup>1</sup> and R<sup>2</sup> together with the nitrogen to which they are attached form  
X,  
5 wherein X is piperidinyl;  
wherein X is substituted with Y, wherein Y is C<sub>1-4</sub>alkyl.
27. A compound according to claim 1, wherein V is -N(R<sup>1</sup>)(R<sup>2</sup>) and wherein  
R<sup>1</sup> and R<sup>2</sup> together with the nitrogen to which they are attached form  
10 X,  
wherein X is piperidinyl;  
wherein X is substituted with Y, wherein Y is  
dioxolanyl;  
and wherein X and Y share one carbon atom and  
15 together form a spirocyclic moiety.
28. A compound according to claim 1, wherein R<sup>3</sup> is R<sup>3a</sup> and R<sup>3a</sup> is substituted or  
unsubstituted phenyl, hydroxyphenyl, azetidiny, naphthyl, C<sub>1-6</sub>alkyl, C<sub>2-6</sub>alkenyl, C<sub>2-6</sub>alkynyl, dihydroquinolinonyl, hydroquinolinonyl, quinolinyl,  
20 dihydroisoquinolinonyl, hydroisoquinolinonyl, isoquinolinyl,  
dihydroquinazolinonyl, hydroquinazolinonyl, quinazolinyl, dihydroquinoxalinonyl,  
hydroquinoxalinonyl, quinoxalinyl, benzimidazolyl, indazolyl,  
dihydrobenzimidazolonyl, hydrobenzimidazolonyl, benzimidazoliny, dihydro-  
benzthiazolonyl, hydrobenzthiazolonyl, benzthiazolyl, dihydrobenzoxazolyl,  
25 benzotriazolyl, dihydrobenzothiophenonyl, hydrobenzothiophenonyl, benzothienyl,  
dihydrobenzofuranonyl, hydrobenzofuranonyl, benzofuranyl, benzdioxolanyl,  
dihydroindolonyl, hydroindolonyl, indolyl, indoliziny, isoindolyl, indoliny,  
indazolyl, pyrazolyl, pyrazoliny, pyrazolidiny, furanyl, thienyl, pyrrolyl, pyrroliny,  
pyrrolidiny, imidazolyl, imidazoliny, imidazolidiny, pyridyl, puriny, carbazolyl,  
30 pyrimidiny, piperidiny, triazolopyrimidiny, tetrahydropyrazolopyridiny,  
piperaziny or morpholino.

29. A compound according to claim 1, wherein  $R^3$  is  $R^{3b}$  and  $R^{3b}$  is substituted or unsubstituted dihydrobenzimidazolonyl, hydrobenzimidazolonyl, benzimidazoliny, dihydro-benzthiazolonyl, hydrobenzthiazolonyl, benzthiazolyl, dihydrobenzothiophenonyl, hydrobenzothiophenonyl, dihydrobenzofuranonyl, hydrobenzofuranonyl, 1H-indazol-5-yl, benzdioxolanyl, dihydrobenzoxazolyl, benzotriazolyl, dihydroindolonyl, hydroindolonyl, indoliziny, isoindolyl, indoliny, pyrazolyl, pyrazoliny, pyrazolidiny, furanyl, pyrrolyl, pyrroliny, pyrrolidiny, imidazoliny, imidazolidiny, puriny, carbazolyl, pyrimidiny, piperidiny, piperaziny or morpholino; optionally substituted as provided in the first embodiment of the first aspect.
30. A compound according to claim 1, wherein D is O and m and n are each 1.
31. A compound according to claim 1, wherein p is 1; and G, J and E together form  $A^x$  or  $A^y$ .
32. A compound according to claim 1, wherein p is 0 such that G and J are each attached to A, then A is C and G, J and A together form a spirocyclic ring system with said rings of said system containing A and wherein G, J and A together are GJA' or GJA".
33. A compound according to claim 1, wherein p is 0 such that G and J are each attached to A, then A is C and G, J and A together form a spirocyclic ring system with said rings of said system containing A and wherein G, J and A together are GJA'.
34. A compound according to claim 1, wherein p is 0 such that G and J are each attached to A, then A is C and G, J and A together form a spirocyclic ring system with said rings of said system containing A and wherein G, J and A together are GJA".
35. A compound according to claim 1, wherein p is 0 such that G and J are each attached to A, then G, J and A together form a spirocyclic ring system with said rings

of said system containing A and wherein G, J and A together are form a heterocycle selected from the group consisting of imidazolinonyl, imidazolidinonyl, dihydroquinolinonyl, dihydroisoquinolinonyl, dihydroquinazolinonyl, dihydroquinoxalinonyl, dihydrobenzoxazinyl, hydrobenzoxazinyl, dihydrobenzoxazinonyl, dihydrobenzimidazolonyl, dihydrobenzimidazolyl, dihydrobenzthiazolonyl, dihydrobenzthiazolyl, dihydrobenzothiophenonyl, dihydrobenzofuranonyl, dihydroindolonyl, indoliny, pyrazoliny, pyrazolidiny, pyrroliny, pyrrolidiny, imidazoliny, imidazolidiny, piperidiny, piperaziny and morpholino; wherein said heterocycle is optionally substituted with C<sub>1-4</sub>alkyl, C<sub>1-4</sub>alkoxy, C<sub>1-4</sub>haloalkyl, cyano, C<sub>3-7</sub>cycloalkyl, phenyl, halophenyl, furanyl, pyrrolyl, pyrroliny, pyrrolidiny, imidazolyl, imidazolidiny, pyrazolyl, pyrazolidiny, pyridyl, pyrimidiny, piperidiny, piperaziny or morpholino.

36. A compound selected from the group consisting of (±)-3-(1*H*-Indazol-5-yl)-2-{{[4-(2-oxo-1,4-dihydro-2*H*-quinazolin-3-yl)-piperidine-1-carboxyl]-amino}-propionic acid;  
 (*R*)-4-(2-Oxo-1,4-dihydro-2*H*-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidiny-1'-yl-1-(1*H*-indazol-5-ylmethyl)-2-oxo-ethyl]-amide;  
 (±)-4-(2-Oxo-2,3-dihydro-benzoimidazol-1-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidiny-1'-yl-1-(1*H*-indol-5-ylmethyl)-2-oxo-ethyl]-amide;  
 (±)-4-(2-Oxo-2,3-dihydro-benzoimidazol-1-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidiny-1'-yl-1-(1*H*-indazol-5-ylmethyl)-2-oxo-ethyl]-amide;  
 (±)-4-(2-Oxo-1,4-dihydro-2*H*-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidiny-1'-yl-1-(1*H*-indol-5-ylmethyl)-2-oxo-ethyl]-amide;  
 (±)-4-(2-Oxo-1,4-dihydro-2*H*-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidiny-1'-yl-1-(1*H*-indazol-5-ylmethyl)-2-oxo-ethyl]-amide;  
 (±)-4-(2-Oxo-2,3-dihydro-benzoimidazol-1-yl)-piperidine-1-carboxylic acid [1-(1*H*-indol-5-ylmethyl)-2-(4-isobutyl-piperazin-1-yl)-2-oxo-ethyl]-amide;  
 (±)-4-(2-Oxo-2,3-dihydro-benzoimidazol-1-yl)-piperidine-1-carboxylic acid [2-(1,4-dioxa-8-aza-spiro[4.5]dec-8-yl)-1-(1*H*-indol-5-ylmethyl)-2-oxo-ethyl]-amide;  
 (±)-4-(2-Oxo-2,3-dihydro-benzoimidazol-1-yl)-piperidine-1-carboxylic acid [1-(1*H*-indazol-5-ylmethyl)-2-(4-isobutyl-piperazin-1-yl)-2-oxo-ethyl]-amide;

- (±)-4-(2-Oxo-2,3-dihydro-benzoimidazol-1-yl)-piperidine-1-carboxylic acid [2-(1,4-dioxo-8-aza-spiro[4.5]dec-8-yl)-1-(1H-indazol-5-ylmethyl)-2-oxo-ethyl]-amide;
- (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-(1,4-dioxo-8-aza-spiro[4.5]dec-8-yl)-1-(1H-indazol-5-ylmethyl)-2-oxo-ethyl]-amide;
- 5 (±)-3-(7-Methyl-1H-indazol-5-yl)-2-{[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid methyl ester;
- 3-(7-Methyl-1H-indazol-5-yl)-2-[2',3'-dihydro-2'-oxospiro-(piperidine-4,4'-(1H)-quinazoline)carbonyl amino]-propionic acid methyl ester;
- 10 3-(7-Methyl-1H-indazol-5-yl)-2-(1,2-dihydro-2-oxospiro-4H-3,1-dihydro-benzoxazine-4'4-piperidine-carbonylamino)-propionic acid methyl ester;
- (±)-3-(7-Methyl-1H-indazol-5-yl)-2-{[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid;
- (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-
- 15 [1,4']bipiperidiny-1'-yl-1-(7-methyl-1H-indazol-5-ylmethyl)-2-oxo-ethyl]-amide;
- (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [1-(7-methyl-1H-indazol-5-ylmethyl)-2-oxo-2-piperidin-1-yl-ethyl]-amide;
- (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [1-dimethylcarbamoyl-2-(7-methyl-1H-indazol-5-yl)-ethyl]-amide;
- 20 (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [1-(7-methyl-1H-indazol-5-ylmethyl)-2-(4-methyl-piperazin-1-yl)-2-oxo-ethyl]-amide;
- (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [1-(7-methyl-1H-indazol-5-ylmethyl)-2-oxo-2-pyrrolidin-1-yl-ethyl]-amide;
- (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [1-(7-
- 25 methyl-1H-indazol-5-ylmethyl)-2-oxo-2-(4-pyridin-4-yl-piperazin-1-yl)-ethyl]-amide;
- (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [1-(7-methyl-1H-indazol-5-ylmethyl)-2-oxo-2-(4-pyridin-2-yl-piperazin-1-yl)-ethyl]-amide;
- 30 (±)-1-(7-Methyl-1H-indazol-5-ylmethyl)-2-[1,4-bipiperidin]-1-yl-2-oxoethyl]-2',3'-dihydro-2'-oxospiro-[piperidine-4,4'-(1H)-quinazoline]-1-carboxamide;

- (±)-1-(7-Methyl-1H-indazol-5-ylmethyl)-2-(1-piperidinyl)-2-oxoethyl]-2',3'-dihydro-2'-oxospiro-[piperidine-4,4'-(1H)-quinazoline]-1-carboxamide;
- (±)-1-(7-Methyl-1H-indazol-5-ylmethyl)-2-[1,4-bipiperidin]-1-yl-2-oxoethyl]-1',2'-dihydro-2'--oxospiro-[4H-3',1-benzoxazine-4,4'-piperidine]-1-carboxamide;
- 5 (±)-1-(7-Methyl-1H-indazol-5-ylmethyl)-2-(1-piperidinyl)-2-oxoethyl]-1',2'-dihydro-2'--oxospiro-[4H-3',1-benzoxazine-4,4'-piperidine]-1-carboxamide;
- (±)- [1-Dimethylcarbamoyl-2-(7-methyl-1H-indazol-5-yl)-ethyl]-1',2'-dihydro-2'-oxospiro-[4H-3',1-benzoxazine-4,4'-piperidine]-1-carboxamide;
- (±)- [1-(2-adamantyl-carbamoyl)-2-(7-methyl-1H-indazol-5-yl)-ethyl]-1',2'-dihydro-2'-oxospiro-[4H-3',1-benzoxazine-4,4'-piperidine]-1-carboxamide;
- 10 (±)-1',2'-Dihydro-2'-oxospiro-[4H-3',1-benzoxazine-4,4'-piperidine-1-carboxylic acid [1-(7-methyl-1H-indazol-5-ylmethyl)-2-oxo-2-(4-pyridin-4-yl-piperazin-1-yl)-ethyl]-amide;
- (±)-1',2'-Dihydro-2'-oxospiro-[4H-3',1-benzoxazine-4,4'-piperidine-1-carboxylic acid {2-(7-methyl-1H-indazol-5-yl)-1-[(pyridin-4-ylmethyl)-carbamoyl]-ethyl}-amide;
- 15 (±)- 1-(7-Methyl-1H-indazol-5-ylmethyl)-2-[1,4-bipiperidin]-1-yl-2-oxoethyl]3',4'-dihydro-2'-oxospiro-[piperidine-4,4'-(1H)-quinoline]-1-carboxamide;
- (±)- 1-(7-Methyl-1H-indazol-5-ylmethyl)-2-[1-piperidinyl]-2-oxoethyl]3',4'-dihydro-2'-oxospiro-[piperidine-4,4'-(1H)-quinoline]-1-carboxamide;
- 20 (±)- [1-Dimethylcarbmoyl-2-(7-methyl-1H-indazol-5-yl)-ethy]l-3',4'-dihydro -2'-oxospiro- [piperidine-4,4'-(1H)-quinoline]-1-carboxamide;
- (±)-4-Oxo-2-phenyl-1,3,8-triaza-spiro[4,5]dec-1-ene-8-carboxylic acid {1-(7-methyl-1H-indazol-5- yl methyl)-2-[1,4]bipiperidinyl-1'-yl-2-oxo-ethyl}-amide;
- 25 (±)-4-Oxo-2-phenyl-1,3,8-triaza-spiro[4,5]dec-1-ene-8-carboxylic acid {1-(7-methyl-1H-indazol-5- yl methyl)-2-[1-piperidinyl]-2-oxo-ethyl}-amide;
- (±)-4-Oxo-2-phenyl-1,3,8-triaza-spiro[4,5]dec-1-ene-8-carboxylic acid[1-dimethylcarbamoyl -2-(7-methyl-1H-indazol-5- yl)-ethyl]amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid {1-(1H-indazol-5-ylmethyl)-2-oxo-2-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-ethyl}-amide;
- 30

- 4-(3-(1H-Indazol-5-yl)-2-{[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionyl)-piperazine-1-carboxylic acid benzyl ester;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [1-(1H-indazol-5-ylmethyl)-2-oxo-2-piperazin-1-yl-ethyl]-amide;
- 5 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid {1-(1H-indazol-5-ylmethyl)-2-[4-(2-methyl-butyl)-piperazin-1-yl]-2-oxo-ethyl}-amide;
- 3-(7-Methyl-1H-indazol-5-yl)-2-{[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid cyclohexyl ester;
- (±)-3-(7-Chloro-1H-indazol-5-yl)-2-{[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid methyl ester;
- 10 (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidiny-1'-yl-1-(7-chloro-1H-indazol-5-ylmethyl)-2-oxo-ethyl]-amide;
- (±)-3-(7-Ethyl-1H-indazol-5-yl)-2-{[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid methyl ester;
- 15 (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidiny-1'-yl-1-(7-ethyl-1H-indazol-5-ylmethyl)-2-oxo-ethyl]-amide;
- (R)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidiny-1'-yl-1-(2-methyl-1H-benzimidazol-5-ylmethyl)-2-oxo-ethyl]-amide;
- 20 (R)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidiny-1'-yl-2-oxo-1-(2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-ethyl]-amide;
- (R)-3-(1H-Benzotriazol-5-yl)-2-{[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid methyl ester;
- 25 (R)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [1-(1H-benzotriazol-5-ylmethyl)-2-[1,4']bipiperidiny-1'-yl-2-oxo-ethyl]-amide;
- (R)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidiny-1'-yl-2-oxo-1-(2-oxo-2,3-dihydro-1H-indol-5-ylmethyl)-ethyl]-amide;
- 30 (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [1-(4-benzyloxy-2-oxo-2H-pyridin-1-ylmethyl)-2-[1,4']bipiperidiny-1'-yl-2-oxo-ethyl]-amide;



- (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(4-hydroxy-2-oxo-2H-pyridin-1-ylmethyl)-2-oxo-ethyl]-amide;
- (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(4-hydroxy-piperidin-1-ylmethyl)-2-oxo-ethyl]-amide;
- 5 (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-2-oxo-1-(1,4,6,7-tetrahydro-pyrazolo[4,3-c]pyridin-5-ylmethyl)-ethyl]-amide;
- (±)-3-(7,7-Dimethyl-1,4,6,7-tetrahydro-pyrazolo[4,3-c]pyridin-5-yl)-2-{[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid methyl ester;
- 10 (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(7,7-dimethyl-1,4,6,7-tetrahydro-pyrazolo[4,3-c]pyridin-5-ylmethyl)-2-oxo-ethyl]-amide;
- 15 (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(6-methoxy-pyridin-3-ylmethyl)-2-oxo-ethyl]-amide;
- (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(2-methoxy-pyrimidin-5-ylmethyl)-2-oxo-ethyl]-amide;
- (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [1-(6-benzyloxy-pyridin-3-ylmethyl)-2-[1,4']bipiperidinyl-1'-yl-2-oxo-ethyl]-amide;
- 20 (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-2-oxo-1-(6-oxo-1,6-dihydro-pyridin-3-ylmethyl)-ethyl]-amide;
- (R)-1-Oxo-3,4-benzo-2,9-diaza-spiro [5.5] undec-3-ene-9-carboxylic acid (1-benzo [b] thiophen-3-ylmethyl-2-[1,4'] bipiperidinyl-1'-yl-2-oxo-ethyl)-amide;
- 25 N-[(1R)-1-(Benzo[b]thien-3-ylmethyl)-2-[1,4-bipiperidin]-1-yl-2-oxoethyl]-3',4'-dihydro-2-oxospiro-[piperidine-4,4'(1H)-quinoline]-1-carboxamide;
- N-[(1R)-1-(Benzo[b]thien-3-ylmethyl)-2-[1,4-bipiperidin]-1-yl-2-oxoethyl]-2',3'-dihydro-1-oxospiro-[piperidine-4,4'(1H)-isoquinoline]-1-carboxamide;
- 30 N-[(1R)-1-(Benzo[b]thien-3-ylmethyl)-2-[1,4'-bipiperidin]-1'-yl-2-oxoethyl]-1,2-dihydro-2-oxospiro-[4H-3,1-benzoxazine-4,4'-piperidine]-1'-carboxamide;
- 1-[1,4']Bipiperidinyl-1'-yl-2-(3(S)-Benzo[b]thiophen-3-ylmethyl)-4-[1',2'-dihydro-2'-oxospiro-[4H-3',1-benzoxazine-4,4'-piperidinyl]-butane-1,4-dione];

- (±)-2-(7-Methyl-1H-indazol-5-ylmethyl)-4-oxo-4-[1',2'-dihydro-2'-oxospiro-[4H-3',1-benzoxazine-4,4'-piperidinyl]-butyric acid methyl ester;
- (±)-2-(7-Methyl-1H-indazol-5-ylmethyl)-4-oxo-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butyric acid methyl ester;
- 5 (±)-1-[1,4']Bipiperidinyl-1'-yl-2-(7-methyl-1H-indazol-5-ylmethyl)-4-[1',2'-dihydro-2'-oxospiro-[4H-3',1-benzoxazine-4,4'-piperidinyl]-butane-1,4-dione;
- (±)-1-[1,4']Bipiperidinyl-1'-yl-2-(7-methyl-1H-indazol-5-ylmethyl)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;
- (±)-1-(1,4-Dioxa-8-aza-spiro[4.5]dec-8-yl)-2-(7-methyl-1H-indazol-5-ylmethyl)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;
- 10 (±)-1-(1,4-Dioxa-8-aza-spiro[4.5]dec-8-yl)-2-(7-methyl-1H-indazol-5-ylmethyl)-4-[1',2'-dihydro-2'-oxospiro-[4H-3',1-benzoxazine-4,4'-piperidinyl]-butane-1,4-dione;
- (±)-*N,N*-Dimethyl-2-(7-methyl-1H-indazol-5-ylmethyl)-4-oxo-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butyramide;
- 15 (±)-1-(2,6-Dimethyl-morpholin-4-yl)-2-(7-methyl-1H-indazol-5-ylmethyl)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;
- (±)-2-(7-Methyl-1H-indazol-5-ylmethyl)-1-(4-methyl-piperidin-1-yl)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;
- 20 (±)-2-(7-Methyl-1H-indazol-5-ylmethyl)-1-morpholin-4-yl-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;
- (±)-*N,N*-Dimethyl-2-(7-methyl-1H-indazol-5-ylmethyl)-4-oxo-4-[1',2'-dihydro-2'-oxospiro-[4H-3',1-benzoxazine-4,4'-piperidinyl]-butyramide;
- (±)-2-(7-Methyl-1H-indazol-5-ylmethyl)-1-(piperidin-1-yl)-4-[1',2'-dihydro-2'-oxospiro-[4H-3',1-benzoxazine-4,4'-piperidinyl]-butane-1,4-dione;
- 25 (±)-2-(7-Methyl-1H-indazol-5-ylmethyl)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-1-piperidin-1-yl-butane-1,4-dione;
- (±)-1-[1,4']Bipiperidinyl-1'-yl-2-(1H-indazol-5-ylmethyl)-4-[1',2'-dihydro-2'-oxospiro-[4H-3',1-benzoxazine-4,4'-piperidinyl]-butane-1,4-dione;
- 30 (±)-1-(1,4-Dioxa-8-aza-spiro[4.5]dec-8-yl)-2-(1H-indazol-5-ylmethyl)-4-[1',2'-dihydro-2'-oxospiro-[4H-3',1-benzoxazine-4,4'-piperidinyl]-butane-1,4-dione;
- (±)-1-(1,4-Dioxa-8-aza-spiro[4.5]dec-8-yl)-2-(1H-indazol-5-ylmethyl)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;

- (±)-2-(1H-Indazol-5-ylmethyl)-N,N-dimethyl-4-oxo-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butyramide;
- (±)-5-{2-([1,4']Bipiperidinyl-1'-carbonyl)-4-oxo-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butyl}-indazole-1-carboxylic acid *tert*-butyl ester;
- 5 (±)-2-(7-Methyl-1H-indazol-5-ylmethyl)-4-oxo-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-N-prop-2-ynyl-butyramide;
- (L)-{1-([1,4']Bipiperidinyl-1'-carbonyl)-3-oxo-3-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-propyl}-carbamic acid *tert*-butyl ester;
- (L)-1-[1,4']Bipiperidinyl-1'-yl-2-(1H-indol-5-ylamino)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;
- 10 (L)-1-[1,4']Bipiperidinyl-1'-yl-2-(5-chloro-2-nitro-phenylamino)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;
- (L)-1-[1,4']Bipiperidinyl-1'-yl-2-(6-chloro-pyrimidin-4-ylamino)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;
- 15 (L)-1-[1,4']Bipiperidinyl-1'-yl-2-(2-chloro-9H-purin-6-ylamino)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;
- (L)-2-(4-Amino-6-methyl-5-nitro-pyrimidin-2-ylamino)-1-[1,4']bipiperidinyl-1'-yl-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;
- (L)-1-[1,4']Bipiperidinyl-1'-yl-2-(4,5-diamino-6-methyl-pyrimidin-2-ylamino)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;
- 20 (L)-1-[1,4']Bipiperidinyl-1'-yl-2-(7-methyl-1H-[1,2,3]triazolo[4,5-d]pyrimidin-5-ylamino)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;
- (L)-1-[1,4']Bipiperidinyl-1'-yl-2-((2'-pyridyl)-methyl-amino)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;
- 25 (L)-1-[1,4']Bipiperidinyl-1'-yl-2-((5'-indazolyl)-methyl-amino)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;
- (L)-1-[1,4']Bipiperidinyl-1'-yl-2-((3'-methyl-phenyl)-methyl-amino)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;
- 30 (L)-1-[1,4']Bipiperidinyl-1'-yl-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-2-(pyrimidin-4-ylamino)-butane-1,4-dione;
- (L)-1-[1,4']Bipiperidinyl-1'-yl-2-(4-hydroxy-cyclohexylamino)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;

(L)-1-[1,4']Bipiperidiny-1'-yl-2-[(1H-imidazol-4-ylmethyl)-amino]-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;

(L)-N-{1-([1,4']Bipiperidiny-1'-carbonyl)-3-oxo-3-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-propyl}-4-methoxy-benzamide;

5 (L)-N-{1-([1,4']Bipiperidiny-1'-carbonyl)-3-oxo-3-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-propyl}-4-hydroxy-benzamide;


(L)-1H-Pyrazole-3-carboxylic acid {1-([1,4']bipiperidiny-1'-carbonyl)-3-oxo-3-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-propyl}-amide; and

10 (±)-1-[1,4']Bipiperidiny-1'-yl-2-(1H-indazol-5-ylamino)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;


or pharmaceutically acceptable salts and solvates thereof.

37. A compound according to claim 1 wherein R<sup>3</sup> is R<sup>3b</sup> and R<sup>3b</sup> is

15 1H-Indol-5-yl




1H-Indazol-5-yl




20


1H-Benzotriazol-5-yl



1,3-Dihydro-indol-2-on-5-yl




3H-Benzooxazol-2-on-6-yl




5

1,3-Dihydro-benzoimidazol-2-on-5-yl




1-Methyl-1,3-dihydro-benzoimidazol-2-on-6-yl




10


3,4-Dihydro-1H-quinolin-2-on-6-yl



1,4-Dihydro-benzo[d][1,3]oxazin-2-on-6-yl




3,4-Dihydro-1H-quinazolin-2-on-6-yl




5

3-Methyl-3,4-dihydro-1H-quinazolin-2-on-6-yl



; or

10 4H-Benzo[1,4]oxazin-3-on-7-yl



wherein T<sup>y</sup> is H, C<sub>1-4</sub>alkyl, F, Cl, Br or nitrile.

- 15 38. A compound selected from the group consisting of  
 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidiny-1'-yl]-1-(7-bromo-1H-indazol-5-ylmethyl)-2-oxo-ethyl]-amide;

- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-oxo-1-(2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-2-(4-pyridin-4-yl-piperazin-1-yl)-ethyl]-amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-oxo-1-(2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-2-piperidin-1-yl-ethyl]-amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-(4-methyl-piperazin-1-yl)-2-oxo-1-(2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-ethyl]-amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidiny-1'-yl-1-(4-methyl-2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-2-oxo-ethyl]-amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidiny-1'-yl-1-(4-chloro-2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-2-oxo-ethyl]-amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [1-(4-methyl-2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-2-oxo-2-piperidin-1-yl-ethyl]-amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [1-(4-chloro-2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-2-oxo-2-piperidin-1-yl-ethyl]-amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [1-dimethylcarbamo-yl-2-(4-methyl-2-oxo-2,3-dihydro-benzooxazol-6-yl)-ethyl]-amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-(4-chloro-2-oxo-2,3-dihydro-benzooxazol-6-yl)-1-dimethylcarbamo-yl-ethyl]-amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [1-(4-methyl-2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-2-oxo-2-(4-pyridin-4-yl-piperazin-1-yl)-ethyl]-amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [1-(4-chloro-2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-2-oxo-2-(4-pyridin-4-yl-piperazin-1-yl)-ethyl]-amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidiny-1'-yl-1-(4-ethyl-2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-2-oxo-ethyl]-amide;

- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-2-oxo-1-(2-oxo-2,3-dihydro-1H-benzoimidazol-5-ylmethyl)-ethyl]-amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(7-methyl-2-oxo-2,3-dihydro-1H-benzoimidazol-5-ylmethyl)-2-oxo-ethyl]-amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(7-chloro-2-oxo-2,3-dihydro-1H-benzoimidazol-5-ylmethyl)-2-oxo-ethyl]-amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(7-ethyl-2-oxo-2,3-dihydro-1H-benzoimidazol-5-ylmethyl)-2-oxo-ethyl]-amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(3-methyl-2-oxo-2,3-dihydro-1H-benzoimidazol-5-ylmethyl)-2-oxo-ethyl]-amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(3,7-dimethyl-2-oxo-2,3-dihydro-1H-benzoimidazol-5-ylmethyl)-2-oxo-ethyl]-amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(7-chloro-3-methyl-2-oxo-2,3-dihydro-1H-benzoimidazol-5-ylmethyl)-2-oxo-ethyl]-amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(7-ethyl-3-methyl-2-oxo-2,3-dihydro-1H-benzoimidazol-5-ylmethyl)-2-oxo-ethyl]-amide;
- 3-(7-Methyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid isopropyl ester;
- 3-(7-Chloro-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid isopropyl ester;
- 3-(7-Ethyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid isopropyl ester;
- 3-(7-Methyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid tert-butyl ester;



- 3-(7-Chloro-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid tert-butyl ester;
- 3-(7-Ethyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid tert-butyl ester;
- 5 3-(7-Chloro-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid cyclohexyl ester;
- 3-(7-Ethyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid cyclohexyl ester;
- 3-(7-Methyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid 1-methyl-piperidin-4-yl ester;
- 10 3-(7-Chloro-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid 1-methyl-piperidin-4-yl ester;
- 3-(7-Ethyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid 1-methyl-piperidin-4-yl ester;
- 15 3-(7-Methyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid 1-methyl-cyclohexyl ester;
- 3-(7-Chloro-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid 1-methyl-cyclohexyl ester;
- 3-(7-Ethyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid 1-methyl-cyclohexyl ester;
- 20 3-(7-Methyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid 4-phenyl-cyclohexyl ester;
- 3-(7-Chloro-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid 4-phenyl-cyclohexyl ester;
- 25 3-(7-Ethyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid 4-phenyl-cyclohexyl ester;
- 3-(7-Methyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid 1-benzyl-piperidin-4-yl ester;
- 3-(7-Methyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid 1-pyridin-4-yl-ethyl ester; and
- 30 3-(7-Methyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid 1-pyridin-3-yl-ethyl ester or pharmaceutically acceptable salts or solvates thereof.

39. A pharmaceutical composition comprising a compound according to claim 1.
40. A method of treating migraine in a patient in need thereof comprising the  
5 administration of an antimigraine effective amount of a pharmaceutical composition comprising a compound according to claim 1.
41. An in vivo non-terminal method of identifying anti-migraine compounds comprising administering a CGRP-receptor agonist to a mammal in an amount  
10 capable of inducing an increase in blood flow, followed by administering a test compound in an amount capable of reversing said CGRP-induced increase in blood flow, wherein said mammal is a transgenic mammal with humanized RAMP1 having Trp74 or a mammal endogenously expressing RAMP1 having Trp74.
42. An in vivo non-terminal method of identifying anti-migraine compounds comprising administering to a mammal a test compound prior to the delivery of a CGRP-receptor agonist wherein said CGRP-receptor agonist is administered in an amount capable of inducing an increase in blood flow and wherein said test  
15 compound is administered in an amount capable of suppressing said CGRP-induced increase in blood flow, wherein said mammal is a transgenic mammal with humanized RAMP1 having Trp74 or a mammal endogenously expressing RAMP1  
20 having Trp74.
43. An in vivo non-terminal method of identifying anti-migraine compounds comprising administering to a mammal a CGRP-receptor agonist in an amount  
25 capable of inducing an increase in peripheral artery diameter, followed by administering a test compound in an amount capable of reversing said CGRP-induced increase in peripheral artery diameter, wherein said mammal is a transgenic mammal with humanized RAMP1 having Trp74 or a mammal endogenously expressing  
30 RAMP1 having Trp74.
44. An in vivo non-terminal method of identifying anti-migraine compounds comprising administering to a mammal a test compound prior to the delivery of a

CGRP-receptor agonist wherein said CGRP-receptor agonist is administered in an amount capable of inducing an increase in peripheral artery diameter and wherein said test compound is administered in an amount capable of suppressing said CGRP-induced increase in peripheral artery diameter, wherein said mammal is a transgenic mammal with humanized RAMP1 having Trp74) or a mammal endogenously expressing RAMP1 having Trp74.

45. A compound selected from the group consisting of
- (±)-3-(3-Cyano-1H-indol-5-yl)-2-{{4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid methyl ester;
  - (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(3-cyano-1H-indol-5-yl-methyl)-2-oxo-ethyl]-amide;
  - (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(3-cyano-7-methyl-1H-indol-5-yl-methyl)-2-oxo-ethyl]-amide;
  - (±)-3-(7-Isopropyl-1H-indazol-5-yl)-2-{{4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid methyl ester;
  - (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(7-isopropyl-1H-indazol-5-yl-methyl)-2-oxo-ethyl]-amide;
  - (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(7-ethyl-1H-indazol-5-yl-methyl)-2-oxo-ethyl]-amide;
  - (±)-4-(2,2-Dioxo-1,4-dihydro-2H-2λ<sup>6</sup>-benzo[1,2,6]thiadiazin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(7-methyl-1H-indazol-5-yl-methyl)-2-oxo-ethyl]-amide;
  - (±)-4-(2,2-Dioxo-1,4-dihydro-2H-2λ<sup>6</sup>-benzo[1,2,6]thiadiazin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(7-ethyl-3-methyl-1H-indazol-5-yl-methyl)-2-oxo-ethyl]-amide;
  - (±)-2-[4-(6-Cyano-2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino]-3-(7-methyl-1H-indazol-5-yl)-propionic acid methyl ester;
  - (±)-4-(6-Cyano-2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid {2-[1,4']bipiperidinyl-1'-yl-1-(7-methyl-1H-indazol-5-yl-methyl)-2-oxo-ethyl}-amide;

- (±)-4-(2-Oxo-1,2,4,5-tetrahydro-benzo[d][1,3]diazepin-3-yl)-1-carboxylic acid {2-[1,4']bipiperidinyl-1'-yl-1-(7-methyl-1H-indazol-5-yl methyl)-2-oxo-ethyl}-amide;
- (±)-4-(6-Hydroxy-2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid {2-[1,4']bipiperidinyl-1'-yl-1-(7-methyl-1H-indazol-5-yl methyl)-2-oxo-ethyl}-amide;
- 5 amide;
- (±)-4-(8-Methoxy-2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid {2-[1,4']bipiperidinyl-1'-yl-1-(7-methyl-1H-indazol-5-yl methyl)-2-oxo-ethyl}-amide;
- (±)-4-(8-Chloro-2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid {2-[1,4']bipiperidinyl-1'-yl-1-(7-methyl-1H-indazol-5-yl methyl)-2-oxo-ethyl}-amide;
- 10 amide;
- (±)-*N*-(3-(7-Ethyl-3-methyl-1H-indazol-5-yl)-1-oxo-1-(4-(piperidin-1-yl)piperidin-1-yl)propan-2-yl)-2',3'-dihydro-2'-oxospiro-(piperidine-4,4'-quinazoline)-1-carboxamide;
- 15 (±)-*N*-(3-(7-Ethyl-3-methyl-1H-indazol-5-yl)-1-oxo-1-(4-(piperidin-1-yl)piperidin-1-yl)propan-2-yl)-2,4-dihydro-2'-oxospiro-(piperidine-4,4'-1H-benzo[d][1,3]oxazine)-1-carboxamide;
- (±)-*N*-(3-(7-Ethyl-1H-indazol-5-yl)-1-(6,7-dihydro-1H-pyrazolo[4,3-*c*]pyridin-5(4H)-yl)-1-oxopropan-2-yl)-4-(1,2-dihydro-2-oxoquinazolin-3(4H)-yl)piperidine-1-carboxamide;
- 20 carboxamide;
- (±)-*N*-(3-(7-Ethyl-1H-indazol-5-yl)-1-(6,7-dihydro-7,7-dimethyl-1H-pyrazolo[4,3-*c*]pyridin-5(4H)-yl)-1-oxopropan-2-yl)-4-(1,2-dihydro-2-oxoquinazolin-3(4H)-yl)piperidine-1-carboxamide;
- (±)-Methyl 2-(4-(8-fluoro-1,2-dihydro-2-oxoquinazolin-3(4H)-yl)piperidine-1-carboxamido)-3-(7-methyl-1H-indazol-5-yl)propanoate;
- 25 (±)-4-(8-Fluoro-1,2-dihydro-2-oxoquinazolin-3(4H)-yl)-*N*-(3-(7-methyl-1H-indazol-5-yl)-1-oxo-1-(4-(piperidin-1-yl)piperidin-1-yl)propan-2-yl)piperidine-1-carboxamide;
- (±)-4-(8-Fluoro-1,2-dihydro-2-oxoquinazolin-3(4H)-yl)-*N*-(3-(7-methyl-1H-indazol-5-yl)-1-oxo-1-(4-phenylpiperazin-1-yl)propan-2-yl)piperidine-1-carboxamide;
- 30 (±)-4-(8-Fluoro-1,2-dihydro-2-oxoquinazolin-3(4H)-yl)-*N*-(1-(4-(4-fluorophenyl)piperazin-1-yl)-3-(7-methyl-1H-indazol-5-yl)-1-oxopropan-2-yl)piperidine-1-carboxamide;

- (±)-4-(8-Fluoro-1,2-dihydro-2-oxoquinazolin-3(4H)-yl)-*N*-(1-(4-(2-fluorophenyl)piperazin-1-yl)-3-(7-methyl-1H-indazol-5-yl)-1-oxopropan-2-yl)piperidine-1-carboxamide;
- (±)-4-(8-Fluoro-1,2-dihydro-2-oxoquinazolin-3(4H)-yl)-*N*-(3-(7-methyl-1H-indazol-5-yl)-1-oxo-1-(4-*o*-tolylpiperazin-1-yl)propan-2-yl)piperidine-1-carboxamide;
- 5 (±)-Methyl 2-(4-(8-fluoro-1,2-dihydro-2-oxoquinazolin-3(4H)-yl)piperidine-1-carboxamido)-3-(7-ethyl-3-methyl-1H-indazol-5-yl)propanoate;
- (±)-*N*-(3-(7-Ethyl-3-methyl-1H-indazol-5-yl)-1-oxo-1-(4-(piperidin-1-yl)piperidin-1-yl)propan-2-yl)-4-(8-fluoro-1,2-dihydro-2-oxoquinazolin-3(4H)-yl)piperidine-1-
- 10 carboxamide;
- (*R*)-*N*-((*R*)-3-(2-Oxo-2,3-dihydro-benzooxazol-6-yl)-1-oxo-1-(4-(piperidin-1-yl)piperidin-1-yl)propan-2-yl)-4-(8-fluoro-1,2-dihydro-2-oxoquinazolin-3(4H)-yl)piperidine-1-carboxamide;
- (±)-*N*-(3-(7-Methyl-1H-indazol-5-yl)-1-oxo-1-(4-(piperidin-1-yl)piperidin-1-yl)propan-2-yl)-8'-fluoro-2',3'-dihydro-2'-oxospiro-(piperidine-4,4'-quinazoline)-1-
- 15 carboxamide;
- (±)-4-(8-Fluoro-1,2-dihydro-2,4-dioxoquinazolin-3(4H)-yl)-*N*-(3-(7-methyl-1H-indazol-5-yl)-1-oxo-1-(4-(piperidin-1-yl)piperidin-1-yl)propan-2-yl)piperidine-1-carboxamide;
- 20 *N*-((*R*)-3-(2-(trifluoromethyl)-1*H*-benzo[*d*]imidazol-5-yl)-1-oxo-1-(4-(piperidin-1-yl)piperidin-1-yl)propan-2-yl)-4-(1,2-dihydro-2-oxoquinazolin-3(4*H*)-yl)piperidine-1-carboxamide;
- N*-((*R*)-1-(dimethylcarbamoyl)-2-(2-(trifluoromethyl)-1*H*-benzo[*d*]imidazol-5-yl)ethyl)-4-(1,2-dihydro-2-oxoquinazolin-3(4*H*)-yl)piperidine-1-carboxamide;
- 25 (*R*)-methyl 2-(4-(1,2-dihydro-2-oxoquinazolin-3(4*H*)-yl)piperidine-1-carboxamido)-3-(2,3-dihydro-2-oxo-1*H*-benzo[*d*]imidazol-6-yl)propanoate;
- N*-((*R*)-3-(2,3-dihydro-2-oxo-1*H*-benzo[*d*]imidazol-6-yl)-1-oxo-1-(4-piperidin-1-yl)piperidine-1-yl)propan-2-yl)-4-(1,2-dihydro-2-oxoquinazolin-3(4*H*)-yl)piperidine-1-carboxamide;
- 30 *N*-((*R*)-1-(dimethylcarbamoyl)-2-(2,3-dihydro-2-oxo-1*H*-benzo[*d*]imidazol-6-yl)ethyl)-4-(1,2-dihydro-2-oxoquinazolin-3(4*H*)-yl)piperidine-1-carboxamide;

- N*-((*R*)-3-(2,3-dihydro-2-oxo-1*H*-benzo[*d*]imidazol-6-yl)-1-oxo-1-(4-piperidin-1-yl)piperidine-1-yl)propan-2-yl)-4-(2',3'-dihydro-2'-oxospiro(piperidine-4,4'-(1*H*)-quinazoline)carboxamide;
- 4-(1,2-dihydro-2,4-dioxoquinazolin-3(4*H*)-yl)-*N*-((*R*)-3-(7-methyl-1*H*-benzo[*d*][1,2,3]triazol-5-yl)-1-oxo-1-(4-(piperidin-1-yl)piperidin-1-yl)propan-2-yl)piperidine-1-carboxamide;
- (*R*)-4-(2-Oxo-1,4-dihydro-2*H*-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-(4-cyclohexyl-piperazin-1-yl)-2-oxo-1-(2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-ethyl]-amide;
- 10 (*R*)-4-(2-Oxo-1,4-dihydro-2*H*-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-(4-isopropyl-piperazin-1-yl)-2-oxo-1-(2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-ethyl]-amide;
- (*R*)-*N*-((*R*)-3-(2-Oxo-2,3-dihydro-benzooxazol-6-yl)-1-oxo-1-(4-(piperidin-1-yl)piperidin-1-yl)propan-2-yl)-2,4-dihydro-2'-oxospiro-(piperidine-4,4'-1*H*-benzo[*d*][1,3]oxazine)-1-carboxamide;
- 15 (*R*)-*N*-((*R*)-3-(2-Oxo-2,3-dihydro-benzooxazol-6-yl)-1-oxo-1-(4-(cyclohex-1-yl)piperazin-1-yl)propan-2-yl)-2,4-dihydro-2'-oxospiro-(piperidine-4,4'-1*H*-benzo[*d*][1,3]oxazine)-1-carboxamide;
- (*R*)-*N*-((*R*)-3-(2-Oxo-2,3-dihydro-benzooxazol-6-yl)-1-oxo-1-(4-(prop-2-yl)piperazin-1-yl)propan-2-yl)-2,4-dihydro-2'-oxospiro-(piperidine-4,4'-1*H*-benzo[*d*][1,3]oxazine)-1-carboxamide;
- 20 (*R*)-*N*-((*R*)-3-(2-Oxo-2,3-dihydro-benzooxazol-6-yl)-1-oxo-1-(4-(piperidin-1-yl)piperidin-1-yl)propan-2-yl)-2,4-dihydro-2'-oxospiro-(piperidine-4,4'-1*H*-quinazoline)-1-carboxamide;
- 25 (*R*)-*N*-((*R*)-3-(2-Oxo-2,3-dihydro-benzooxazol-6-yl)-1-oxo-1-(4-(cyclohex-1-yl)piperazin-1-yl)propan-2-yl)-2,4-dihydro-2'-oxospiro-(piperidine-4,4'-1*H*-quinazoline)-1-carboxamide;
- (*R*)-*N*-((*R*)-3-(2-Oxo-2,3-dihydro-benzooxazol-6-yl)-1-oxo-1-(4-(prop-2-yl)piperazin-1-yl)propan-2-yl)-2,4-dihydro-2'-oxospiro-(piperidine-4,4'-1*H*-quinazoline)-1-carboxamide;
- 30 (*R*)-4-(2-Oxo-1,4-dihydro-2*H*-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidiny-1'-yl-1-(4-chloro-2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-2-oxo-ethyl]-amide;

- (*R*)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(5-chloro-2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-2-oxo-ethyl]-amide;
- (*R*)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(4-bromo-2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-2-oxo-ethyl]-amide;
- (*R*)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(5-bromo-2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-2-oxo-ethyl]-amide;
- (*R*)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(4-iodo-2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-2-oxo-ethyl]-amide;
- (±)-*N*-(1-Benzyl-2-hydroxy-ethyl)-2-(7-methyl-1H-indazol-5-ylmethyl)-4-oxo-4-[1',2'-dihydro-2'-oxospiro-[4H-3',1-benzoxazine-4,4'-piperidinyl]-butyramide;
- (±)-*N*-(1-Benzyl-2-hydroxy-ethyl)-2-(7-methyl-1H-indazol-5-ylmethyl)-4-oxo-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butyramide;
- (±)-Phenyl-acetic acid *N*'-{2-(7-methyl-1H-indazol-5-ylmethyl)-4-oxo-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butyryl}-hydrazide;
- (±)-1-[1,4']Bipiperidinyl-1'-yl-4-[4-(8-fluoro-2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-2-(7-methyl-1H-indazol-5-ylmethyl)-butane-1,4-dione;
- (±)-1-[1,4']Bipiperidinyl-1'-yl-2-(7-methyl-1H-indazol-5-ylmethyl)-4-[2',3'-dihydro-2'-oxospiro-(piperidine-4,4'-quinazoline)]-butane-1,4-dione;
- (±)-1-(4-Cyclohexyl-piperazin-1-yl)-2-(2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;
- (±)-1-[1,4']Bipiperidinyl-1'-yl-2-(2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-4-[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidin-1-yl]-butane-1,4-dione;
- (±)-1-[1,4']Bipiperidinyl-1'-yl-2-(2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-4-[2',3'-dihydro-2'-oxospiro-(piperidine-4,4'-quinazoline)]-butane-1,4-dione;
- (±)-1-(4-cyclohexyl-piperazin-1-yl)-2-(2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-4-[2',3'-dihydro-2'-oxospiro-(piperidine-4,4'-quinazoline)]-butane-1,4-dione;
- (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-(4-cyclohexyl-piperazin-1-yl)-1-(7-methyl-1H-indazol-5-ylmethyl)-2-oxo-ethyl]-amide;
- (±)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[4-(4-

- fluoro-phenyl)-piperazin-1-yl]-1-(7-methyl-1H-indazol-5-ylmethyl)-2-oxo-ethyl]-amide;
- (±)-3-(7-Methyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid tert-butyl ester;
- 5 (±)-3-(7-Methyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid 1-methyl cyclohexyl ester;
- (±)-3-(7-Methyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid 1-aza-bicyclo[2.2.2]oct-3-yl ester;
- (±)-3-(7-Methyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid piperidin-4-yl ester;
- 10 (±)-4-(3-(7-Methyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionyloxy)-piperidine-1-carboxylic acid tert-butyl ester;
- (±)-3-(7-Methyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid 3,4,5,6-tetrahydro-2H-[1,4']bipyridinyl-4-yl ester;
- 15 (±)-3-(7-Methyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid 1-diethylamino-1-methyl-ethyl ester;
- (±)-3-(7-Methyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid 1,1-dimethyl-2-phenyl-ethyl ester;
- 20 (±)-3-(7-Methyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid 1,1-dimethyl-3-phenyl-propyl ester;
- (±)-3-(7-Methyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid ethyl ester;
- 25 (±)-1-(7-Methyl-1H-indazol-5-ylmethyl)-2-[1-pyridin-4-yl-methyl]-2-oxoethyl]-2',3'-dihydro-2'-oxospiro-[piperidine-4,4'-(1H)-quinazoline]-1-carboxamide;
- (±)-1-(7-Methyl-1H-indazol-5-ylmethyl)-2-[1-pyridin-4-yl-piperazinyl]-2-oxoethyl]-2',3'-dihydro-2'-oxospiro-[piperidine-4,4'-(1H)-quinazoline]-1-carboxamide;
- (±)-1-(7-Methyl-1H-indazol-5-ylmethyl)-2-[(2-dimethylamino-ethyl-ethyl
- 30 carbamoyl)-2-oxoethyl]-2',3'-dihydro-2'-oxospiro-[piperidine-4,4'-(1H)-quinazoline]-1-carboxamide;
- (±)-1-(7-Methyl-1H-indazol-5-ylmethyl)-2-[1-pyridin-4-yl-piperazinyl]-2-oxoethyl]-1',2'-dihydro-2'-oxospiro-[4H-3',1-benzoxazine-4,4'-piperidine]-1-carboxamide;



(±)-1-(7-Methyl-1H-indazol-5-ylmethyl)-2-[1-pyridin-2-yl-piperazinyl]-2-oxoethyl]-1',2'-dihydro-2'-oxospiro-[4H-3',1-benzoxazine-4,4'-piperidine]-1-carboxamide;  
 (R)-4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidiny-1'-yl-1-(7-methyl-1H-indazol-5-ylmethyl)-2-oxo-ethyl]amide;  
 5 and  
 (R)-1-(7-Methyl-1H-indazol-5-ylmethyl)-2-[1,4-bipiperidin]-1-yl-2-oxoethyl]-2',3'-dihydro-2'-oxospiro-[piperidine-4,4'-(1H)-quinazoline]-1-carboxamide or a pharmaceutically acceptable salt or solvate thereof.

- 10 46. A compound selected from the group consisting of  
 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidiny-1'-yl-1-(7-bromo-1H-indazol-5-ylmethyl)-2-oxo-ethyl]-amide;  
 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-oxo-1-(2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-2-(4-pyridin-4-yl-piperazin-1-yl)-ethyl]-  
 15 amide;  
 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-oxo-1-(2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-2-piperidin-1-yl-ethyl]-amide;  
 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-(4-methyl-piperazin-1-yl)-2-oxo-1-(2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-ethyl]-  
 20 amide;  
 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidiny-1'-yl-1-(4-methyl-2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-2-oxo-ethyl]-amide;  
 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [1-(4-methyl-2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-2-oxo-2-piperidin-1-yl-ethyl]-  
 25 amide;  
 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [1-(4-chloro-2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-2-oxo-2-piperidin-1-yl-ethyl]-amide;  
 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [1-dimethylcarbamoyl-2-(4-methyl-2-oxo-2,3-dihydro-benzooxazol-6-yl)-ethyl]-amide;  
 30 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-(4-chloro-2-oxo-2,3-dihydro-benzooxazol-6-yl)-1-dimethylcarbamoyl-ethyl]-amide;

- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [1-(4-methyl-2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-2-oxo-2-(4-pyridin-4-yl-piperazin-1-yl)-ethyl]-amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [1-(4-chloro-2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-2-oxo-2-(4-pyridin-4-yl-piperazin-1-yl)-ethyl]-amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(4-ethyl-2-oxo-2,3-dihydro-benzooxazol-6-ylmethyl)-2-oxo-ethyl]-amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(7-methyl-2-oxo-2,3-dihydro-1H-benzoimidazol-5-ylmethyl)-2-oxo-ethyl]-amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(7-chloro-2-oxo-2,3-dihydro-1H-benzoimidazol-5-ylmethyl)-2-oxo-ethyl]-amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(7-ethyl-2-oxo-2,3-dihydro-1H-benzoimidazol-5-ylmethyl)-2-oxo-ethyl]-amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(3-methyl-2-oxo-2,3-dihydro-1H-benzoimidazol-5-ylmethyl)-2-oxo-ethyl]-amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(3,7-dimethyl-2-oxo-2,3-dihydro-1H-benzoimidazol-5-ylmethyl)-2-oxo-ethyl]-amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(7-chloro-3-methyl-2-oxo-2,3-dihydro-1H-benzoimidazol-5-ylmethyl)-2-oxo-ethyl]-amide;
- 4-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carboxylic acid [2-[1,4']bipiperidinyl-1'-yl-1-(7-ethyl-3-methyl-2-oxo-2,3-dihydro-1H-benzoimidazol-5-ylmethyl)-2-oxo-ethyl]-amide;
- 3-(7-Methyl-1H-indazol-5-yl)-2-{{[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid isopropyl ester};

- 3-(7-Chloro-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid isopropyl ester;
- 3-(7-Ethyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid isopropyl ester;
- 5 3-(7-Chloro-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid tert-butyl ester;
- 3-(7-Ethyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid tert-butyl ester;
- 10 3-(7-Chloro-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid cyclohexyl ester;
- 3-(7-Ethyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid cyclohexyl ester;
- 3-(7-Chloro-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid 1-methyl-piperidin-4-yl ester;
- 15 3-(7-Ethyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid 1-methyl-piperidin-4-yl ester;
- 3-(7-Chloro-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid 1-methyl-cyclohexyl ester;
- 3-(7-Ethyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid 1-methyl-cyclohexyl ester;
- 20 3-(7-Chloro-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid 4-phenyl-cyclohexyl ester; and
- 3-(7-Ethyl-1H-indazol-5-yl)-2- {[4-(2-oxo-1,4-dihydro-2H-quinazolin-3-yl)-piperidine-1-carbonyl]-amino}-propionic acid 4-phenyl-cyclohexyl ester or a
- 25 pharmaceutically acceptable salt or solvate thereof.